

IN THE CLAIMS

Please amend the claims as follows.

1. (Currently Amended) A method comprising:
executing a search query on a local index having a data store about content local
to at least one of a user initiating the search query and a client device from
which the search query is initiated;
receiving a first result set from the local index, the first result set relevant to the
search query;
receiving a second result set from a global index, the second result set relevant to
the search query; and
combining the first result set with the second result set to create a combined result
set.
2. (Original) The method of claim 1, further comprising receiving the search query.
3. (Original) The method of claim 2, wherein receiving the search query comprises
intercepting a search query directed to the global index.
4. (Original) The method of claim 1, further comprising ranking the combined result set.
5. (Original) The method of claim 1, wherein the combined result set comprises a merged
result set.

6. (Original) The method of claim 1, wherein the combined result content display window comprising a first section for displaying the first result set and a second section for displaying the second result set.
7. (Original) The method of claim 1, further comprising generating a user interface comprising the combined result set.
8. (Original) The method of claim 1, wherein combining the first result set with the second result set to create a combined result set comprises:
 - identifying a first article identifier in the first result set; and
 - replacing a second article identifier in the second result set with the first article.
9. (Original) The method of claim 1, wherein receiving the search query comprises receiving the search query in a proxy server.
10. (Original) The method of claim 1, wherein receiving the search query comprises receiving the search query in a browser plug-in.
11. (Original) The method of claim 1, wherein receiving the search query comprises receiving the search query in a firewall.
12. (Original) The method of claim 1, wherein receiving the search query comprises

receiving the search query in a network monitor.

13. (Original) The method of claim 1, wherein the local index comprises a database.
14. (Original) The method of claim 13, wherein the database comprises a pre-generated result set.
15. (Original) The method of claim 1, wherein the local index comprises a list of files.
16. (Original) The method of claim 1, wherein the local index comprises an email application.
17. (Original) The method of claim 1, wherein the local index comprises a chat application.
18. (Currently Amended) A method comprising:
 - identifying a global query directed against a global index;
 - initiating a local query against a local index having a data store about content local to at least one of a user initiating the global query and a client device from which the global query is initiated, the local query based at least in part on the global query;
 - identifying a response from the global index;
 - receiving a response from the local index; and
 - creating a combined display based at least in part on the response from the global

index and the response from the local index.

19. (Original) The method of claim 18, wherein the local query and the global query occur in parallel.
20. (Original) The method of claim 18, further comprising ignoring the response from the local index if the response from the local index is not received within a predetermined time after the response from the global index is received.
21. (Original) The method of claim 18, wherein creating a combined display based at least in part on the response from the global index and the response from the local index comprises modifying the response from the global index.
22. (Original) The method of claim 18, wherein creating a combined display based at least in part on the response from the global index and the response from the local index comprises creating a new display, wherein the response from the local index and the response from the global index are contained in separate sections.
23. (Original) The method of claim 18, wherein creating a combined display based at least in part on the response from the global index and the response from the local index comprises creating a new display combining the response from the local index and the response from the global index.

24. (Currently Amended) A computer-readable medium on which is encoded program code, the program code comprising:

program code for executing ~~[[the]]~~a search query on a local index having a data store about content local to at least one of a user initiating the search query and a client device from which the search query is initiated;

program code for receiving a first result set from the local index, the first result set relevant to the search query;

program code for receiving a second result set from a global index, the second result set relevant to the search query; and

program code for combining the first result set with the second result set to create a combined result set.

25. (Original) The computer-readable medium of claim 24, further comprising program code for ranking the combined result set.

26. (Original) The computer-readable medium of claim 24, further comprising program code for generating a user interface comprising the combined result set.

27. (Original) The computer-readable medium of claim 24, wherein program code for combining the first result set with the second result set to create a combined result set comprises:

program code for identifying a first article identifier in the first result set; and

program code for replacing a second article identifier in the second result set with

the first article.

28. (Original) The computer-readable medium of claim 24, wherein program code for receiving the search query comprises program code for receiving the search query in a proxy server.
29. (Original) The computer-readable medium of claim 24, wherein program code for receiving the search query comprises program code for receiving the search query in a browser plug-in.
30. (Original) The computer-readable medium of claim 24, wherein program code for receiving the search query comprises program code for receiving the search query in a firewall.
31. (New) The method of claim 1, wherein the local index is not publicly accessible.
32. (New) The method of claim 1, wherein the local content about the user is at least one of not present on and not related to the client device from which the search query is initiated.